

Continuous Bin Level Monitor with RADAR

© 2017 Safel-Grain, Inc.




Radar Bin Level

- As long as we've been in business...
- Requests for a
 - Cost-effective solution
 - Continuous measurement




Radar Emitter/Antenna

- Compact, self-contained
- High-frequency – 78 GHz
- Narrow, 4° beam
- SafeTrack™ Wireless or hardwire
- Immune to dust and temp
- Hazardous area classifications



Compatibility

- SafeTrack™ software
- PLC
- Stand-alone display



RadarTrack Grain Level

RadarTrack: Continuous Grain Level Monitor

RadarTrack

Start Continuous Scanning

Done

Bin #1
Corn

108' 30.9' 77.1'

71% Full

Approx. Volume: 375,400 bu.

3/24/2017 7:52:10 AM

Update Now

Continuous

Bin #2
Soy Beans

108' 108.0'

100% Full

Approx. Volume: 528,732 bu.

3/24/2017 7:52:10 AM


Update Now

Continuous

Note: Automatic temperature scans are halted while this screen is displayed.

Installation Locations

- Concrete roof
- Steel bin roof
- Hopper or flat bottom
- Round, square, interstice
- Measure up to 328 ft [100m]



Simple Install & Commissioning

